



DLD1968-U

19" TFT LCD, LED Backlight 1600nits,SXGA(1280x1024),Wide Temp.

19" TFT LCD panel, built-in 1600 nits brightness for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marline, transportation, gaming, studio display, gas pump.

Key Features

- Brightness: 1600nits
- LED Backlight
- SXGA(1280x1024) High Definition
- High Shock & Vibration Resistance
- Low Power Consumption
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Wide Temp.: -30~85°C
- Life Expectancy



Specifications

V1

Model No.	DLD1968-U
Description	19" TFT LCD, LED Backlight,1600nits,SXGA(1280x1024),Wide Temp.
Display Area (mm)	376.32(H) x 301.06(V)mm
Brightness	1600 cd/m ²
Resolution	1280x1024 (SXGA)
Contrast Ratio	1000 : 1
Pixel Pitch (mm)	0.294(H) x 0.294(V)
Viewing Angle	+85°~-85°(H), +80°~-80°(V)
Display Colors	16.7M
Response Time (Typical)	10ms
Power Consumption	43W
Dimensions (mm)	396x326x35.9mm
Weight (Net)	3kg
LED Driving Board	LID19A
Control Board (Optional)	<input type="checkbox"/> AD2662GDVAR
<input type="checkbox"/> AD2662GD	VGA+DVI
<input type="checkbox"/> AD2662GDVAR	VGA+DVI (Optional AV/ S-Video/ Component / Audio)
F / R Control Button	<input type="checkbox"/> 5 Key <input type="checkbox"/> 4 Key
<input type="checkbox"/> 5 Key	Power Switch, Menu, Select (+,-), Auto
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

DLD= Panel + LED Driving Board + Control Board + Housing


製品のお見積り・お問い合わせは
 株式会社プラズモニクジャパン までご連絡ください。
 連絡先：(045) 663 1402 メール：info@plazmonic.jp



Mechanical Drawing

Outline Dimensions

Unit:mm



**Ordering Information**

Part Number	Description
DLD1968-UNB-G01	19",1600nits,SXGA,LID19A.AD2662GD,O/B,WT,DC12V.V01(2 in 1)

Optional Accessories

Part Number	Description
840612051210	ADAPTER,AC/DC,12V/5.4A,65W,Atech OEM A065112-TDx.4P,P
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301031	CABLE.POWER.AC.1830mm Japan type

製品のお見積り・お問い合わせは
株式会社プラスモニックジャパン までご連絡ください。
連絡先：(045) 663 1402 メール：info@plazmonic.jp