



SSD4350-I V1

43.5" Resizing LCD, 2000 nits LED backlight, 1920 x 268 ultra-wide aspect ratio 16:2.2

The SSD4350-I is a 43.5 inch color TFT-LCD display with special aspect ratio 16:2.2 and wide resolution 1920 x 268. It is Litemax's Spanpixel series product which designed for high brightness 2000 nits with power efficiency LED backlight. It provides LCD panel with specific aspect ratios and sunlight readable for digital signage, public transportation, exhibition hall, department store, and vending machine.

Key Features

- Resizing LCD
- Ultra-Wide Screen (16 : 2.2)
- High Brightness 2000 nits
- LED Backlight
- Low Power Consumption
- Slim Bezel
- BL MTBF: 100,000 hours



Specifications

Model Name	SSD4350-I V1
Description	43.5" Resizing LCD, 2000 nits LED backlight, 1920x268
Screen Size	43.5"
Display Area (mm)	1095.84(H) x 153.0(V)
Brightness	2000 cd/m ²
Resolution	1920x268
Aspect Ratio	16 : 2.2
Contrast Ratio	7000 : 1
Pixel Pitch (mm)	0.5708(H) x 0.5708(V)
Pixel Per Inch (PPI)	44
Viewing Angle	176(H), 176(V)
Color Saturation (NTSC)	79%
Display Colors	16.7M
Response Time (Typical)	9.5ms
Panel Interface	LVDS
AD Board Input Interface	VGA, DVI, HDMI, DP
Input Power	AC100~240V
Power Consumption	73W
OSD Key	4 Keys (Power Switch, Menu, +, -)
OSD Control	Brightness, Color, Contrast, Auto Turing, H/V Position...etc
Dimensions (mm)	1124.3x 187.4 x 64.6
Bezel Size(U/B/L/R)	14.6/14.6/12.2/12.2 mm
Weight (Net)	8.6 kg
Mounting	300 x 75
Operating Temperature	0 °C ~ 50 °C
Storage Temperature	-20 °C ~ 60 °C

SSD= Panel+ LED Driving Board + AD Control Board + Housing


Specifications are subject to change without notice.
All brands or product names are trademarks or registered trademarks of their respective companies.



Mechanical Drawing

Outline Dimensions

Unit: mm



NOTE :

O.D. : OUTLINE DIMENSION

B.O. : BEZEL OPENING

A.A. : LCD ACTIVE AREA

A : 4-M6 USER HOLE MAX Depth=8mm



Ordering Information

Part Number	Description
SSD4350-INB-J01	43.5",2000nits,1920*268,LID43A.AD5827GDHP,O/B,speaker*2.AC100~240V,2in1,V1

Optional Accessories

Part Number	Description
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301031	CABLE.POWER.AC.1830mm Japan type

By Customer Request

Glass	Tempered glass, AR coating.....
-------	---------------------------------

製品のお見積り・お問い合わせは
株式会社プラズモニックジャパン までご連絡ください。
連絡先：(045) 663 1402 メール：info@plazmonic.jp